
Mirpeptide
Laboratory2635
Parkmont Ln
Olympia, Wa

Certificate of Analysis

CJC-1295 No DAC 5 mg

Report To:
Mirpeptide

Compound: CJC-1295 No DAC
Quantity: 5 mg
Laboratory ID: V260706-2 054
Lot Number: C74152
Date Reported: 7/22/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity	HPLC-UV/VIS	99.08% ± 0.18%
Quantity	HPLC-UV/VIS	5.20 mg

Report By: Dustin Newman, Laboratory Director on 7/22/2026

Approved By: Tori Johnson, Operations Manager on 7/22/2026

ISO 17025:2017 ACCREDITED LABORATORY

For a list of accredited test items, please refer to A2LA Certificate No. 6377.01.01. The condition of the samples upon receipt met the requirements. The results in this report apply only to the tested portion of the samples. All analyses were conducted in accordance with the Mirpeptide Laboratory's quality management system. Neither the Mirpeptide Laboratory nor its staff observed or participated in the sample selection process; therefore, we cannot confirm the authenticity of the samples or their representativeness of the relevant lots/batches.

https://mirpeptide.com
Prismapept@gmail.com